

## 檢測報告

**19-0828-015-LZ-01**
**喜願行**

第1頁，共7頁

**樣品名稱：喜願韃靼蕎麥(苦蕎)**
**收樣日期：2019/08/28**
**樣品批號：-**
**檢驗日期：2019/08/28 ~ 2019/09/04**
**包裝型態：散裝**
**報告日期：2019/09/04**
**數量/重量：344g**
**製造日期：-**
**保存方式：常溫**
**有效日期：-**
**製造廠商/國內負責廠商：-**
**聯絡人電話：04-8965455**
**檢測委託單位：喜願行**
**聯絡人姓名：許美雲**
**檢測委託單位地址：52642 彰化縣二林鎮儒林路二段 25 號**
**其它資訊：-**

檢測項目	結果	定量極限
二硫代胺基甲酸鹽類	N.D. (未檢出)	0.1 µg/g (ppm)
農藥殘留檢測 373 項	N.D. (未檢出)	如附表
~~~以下空白~~~		

**檢測方法：**
**1. 二硫代胺基甲酸鹽類：**

107 年 11 月 30 日衛授食字第 1071902338 號公告修正 食品中殘留農藥檢驗方法—殺菌劑二硫代胺基甲酸鹽類之檢驗(二)

**2. 農藥殘留檢測 373 項：**

106 年 8 月 31 日衛授食字第 1061901690 號公告修正 食品中殘留農藥檢驗方法—多重殘留分析方法(五)

**定量極限參考附表 “穀類<sup>b</sup>”**

**報告簽署人**

**1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。**

This test is exclusive of sampling. Tested-sample and sample-information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

**2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。**

This report is for reference only and cannot be for any commercial purposes or litigation.

**3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。**

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

**4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。**

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.



## 檢測報告

19-0828-015-LZ-01

喜願行

第2頁，共7頁

樣品照片：



1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

實驗室地址：80681高雄市前鎮區南七路3號3樓 Lab Address: 3F., No.3, S. 7th Rd., Cianjhen Dist., Kaohsiung 806, Taiwan R.O.C TEL: (07)831-7000, FAX: (07)831-3848

## 檢測報告

19-0828-015-LZ-01  
 喜願行

第3頁，共7頁

附表

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$			項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>		英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
1	2,6-Diisopropynaphthalene(2,6-DIPN)	2,6-二異丙基萘	0.01	0.02	0.05	41	Bromuconazole	溴克座	0.01	0.02	0.05
2	2-Phenylphenol	2-苯基酚	0.01	0.02	0.05	42	Bufencarb	必克蟲	0.01	0.01	0.03
3	3-keto carbofuran	3-酮基加保扶	0.01	0.02	0.05	43	Bupirimate	布瑞莫	0.01	0.02	0.05
4	3-OH carbofuran	3-羟基加保扶	0.01	0.02	0.05	44	Buprofezin	布芬淨	0.01	0.02	0.05
5	Abamectin	阿巴汀	0.01	0.01	0.05	45	Butachlor	丁基拉草	0.01	0.02	0.05
6	Acephate	殺殺松	0.01	0.02	0.05	46	Butocarboxim	佈嘉信	0.01	0.02	0.05
7	Acquinoxylic - hydroxyl	亞酰端代謝物	0.01	0.02	0.05	47	Butralin	比達寧	0.01	0.02	0.05
8	Acetamiprid	亞滅培	0.01	0.02	0.05	48	Cadusafos	Cadusafos	0.01	0.02	0.05
9	Acetochlor	Acetochlor	0.01	0.02	0.05	49	Carbaryl	加保利	0.01	0.02	0.05
10	Acibenzolar-S-methyl	Acibenzolar-S-methyl	0.01	0.02	0.05	50	Carbendazim	貝芬替	0.01	0.02	0.05
11	Acrinathrin	阿納寧	0.01	0.02	0.05	51	Carbofuran	加保扶	0.01	0.02	0.05
12	Alachlor	拉草	0.01	0.02	0.05	52	Carbofenthion	加芬松	0.01	0.02	0.05
13	Aldicarb	得滅克	0.01	0.02	0.02	53	Carbosulfan	丁基加保扶	0.01	0.02	0.05
14	Aldicarb sulfone	得滅克蠅	0.01	0.02	0.02	54	Carfentrazone-ethyl	乙基克繁草	0.01	0.02	0.05
15	Aldicarb sulfoxide	得滅克亞蠅	0.01	0.02	0.02	55	Carpropamid	加普胺	0.01	0.02	0.05
16	Aldrin	阿特靈	0.01	0.02	0.03	56	Chinomethionat	蟠離丹	0.01	0.02	0.05
17	Alléthrin	亞烈寧	0.02	0.1	0.1	57	Chlorantraniliprole	剋安勒	0.01	0.02	0.05
18	Alloxydim (sodium)	亞汰草	0.01	0.02	0.05	58	Chlorfenapyr	克凡派	0.01	0.02	0.05
19	Ametoctradin	滅脫定	0.01	0.02	0.05	59	Chlorfluazuron	克福隆	0.01	0.02	0.05
20	Ametryn	草殺淨	0.01	0.02	0.05	60	Chlorpropionate	克氮端	0.01	0.02	0.02
21	Amisulbrom	安美速	0.01	0.03	0.05	61	Chlorothalonil	四氯異苯睛	0.02	0.04	0.05
22	Atrazine	草脫淨	0.01	0.02	0.05	62	Chlorpropham	Chlorpropham	0.01	0.02	0.05
23	Azinphos-methyl	谷速松	0.01	0.02	0.1	63	Chlorpyrifos	陶斯松	0.01	0.02	0.05
24	Azoxystrobin	亞托敏	0.01	0.01	0.05	64	Chlorpyrifos-methyl	甲基陶斯松	0.01	0.02	0.05
25	Benalaxylyl	本達樂	0.01	0.02	0.05	65	Chlorthal-dimethyl	大克草	0.01	0.02	0.05
26	Bendiocarb	免敵克	0.01	0.02	0.05	66	Chlozolinate	免氯得	0.01	0.02	0.05
27	Benfluralin	倍尼芬	0.01	0.02	0.05	67	Chromafenozide	可芬諾	0.01	0.02	0.05
28	Benfuracarb	免扶克	0.01	0.02	—	68	Cinem I	除蟲菊精	0.01	0.02	0.05
29	Bensulfuron-methyl	免速隆	0.01	0.02	0.05	69	Cinem II	除蟲菊精	0.01	0.02	0.05
30	Bentazon	本達隆	0.01	0.02	0.05	70	Cinosulfuron	西速隆	0.01	0.02	0.05
31	Benthiazole	佈生	0.01	0.02	0.05	71	cis-Chlordane	cis-可氯丹	0.01	0.02	0.05
32	Bifenazate	必芬蟻	0.01	0.02	0.05	72	Clethodim	剋草同	0.01	0.02	0.05
33	Bifenox	必芬諾	0.01	0.02	0.05	73	Clofentezine	克芬端	0.01	0.02	0.05
34	Bifenthrin	畢芬寧	0.01	0.02	0.05	74	Clomazone	可滅蹤	0.01	0.02	0.05
35	Bitertanol	比多農	0.01	0.02	0.05	75	Clomeprop	克普草	0.01	0.02	0.05
36	Boscalid	白克列	0.01	0.02	0.05	76	Clothianidin	可尼丁	0.01	0.02	0.05
37	Bromacil	克草	0.01	0.02	0.05	77	CPMC(Etrolol)	蘿必殺	0.01	0.02	0.05
38	Bromophos-ethyl	乙基溴磷松	0.01	0.02	0.05	78	Cyanazine	氯乃淨	0.01	0.02	0.05
39	Bromophos-methyl	(甲基)溴磷松	0.01	0.02	0.05	79	Cyanophenphos	施力松	0.01	0.02	0.05
40	Bromopropylate	新殺蟻	0.01	0.02	0.05	80	Cyanophos	氯乃松	0.01	0.02	0.05

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**19-0828-015-LZ-01**
**喜願行**

第4頁，共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$			項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>		英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
81	Cyazofamid	賽座滅	0.01	0.02	0.05	120	Endrin	安特靈	0.01	0.02	0.05
82	Cyclosulfamuron	環磺隆	0.01	0.02	0.05	121	EPN	一品松	0.01	0.02	0.03
83	Cycloxydim	環殺草	0.01	0.02	0.05	122	Epoxiconazole	依普座	0.01	0.02	0.05
84	Cyflufenamid	賽芬胺	0.01	0.02	0.05	123	Esfenvalerate	益化利	0.01	0.02	0.05
85	Cyflumetofen	賽芬端	0.01	0.02	0.05	124	Ethion	愛殺松	0.01	0.02	0.05
86	Cyfluthrin	賽扶寧	0.01	0.02	0.05	125	Ethiprole	益斯普	0.01	0.02	0.05
87	Cyhalofop-butyl	丁基賽伏草	0.01	0.02	0.05	126	Ethirimol	依瑞莫	0.01	0.02	0.05
88	Cymoxanil	克絕	0.01	0.02	0.05	127	Ethoprophos	普伏松	0.01	0.01	0.05
89	Cypermethrin	賽滅寧	0.01	0.03	0.5	128	Etofenprox	依芬寧	0.01	0.02	0.05
90	Cyproconazole	環克座	0.01	0.02	0.05	129	Etoxazole	依殺端	0.01	0.02	0.05
91	Cyprodinil	賽普洛	0.01	0.01	0.05	130	Etridiazole	依得利	0.01	0.02	0.05
92	Deltamethrin	第滅寧	0.01	0.02	0.05	131	Etrimfos	益多松	0.01	0.02	0.05
93	Demeton-s-methyl	滅賜松	0.01	0.02	0.05	132	Famoxadone	凡殺同	0.01	0.02	0.05
94	Diazinon	大利松	0.01	0.02	0.05	133	Fenamiphos	芬滅松	0.01	0.01	0.05
95	Dichlorvos	二氯松	0.01	0.02	0.05	134	Fenarimol	芬瑞莫	0.01	0.02	0.05
96	Dicloran	大克端	0.01	0.02	0.05	135	Fenazaquin	芬殺端	0.01	0.02	0.05
97	Dicofol	大克端	0.01	0.02	0.05	136	Fenbuconazole	芬克座	0.01	0.02	0.05
	Dicofol (DCBP)	大克端代謝物	0.01	0.02	0.05	137	Fenbutatin-oxide	芬佈賜	0.01	0.02	0.05
98	Dicrotophos	雙特松	0.01	0.02	0.05	138	Fenhexamid	Fenhexamid	0.01	0.02	0.05
99	Dieldrin	地特靈	0.01	0.02	0.05	139	Fenitrothion	撲滅松	0.01	0.02	0.05
100	Difenoconazole	待克利	0.01	0.02	0.05	140	Fenobucarb	丁基滅必靈	0.01	0.02	0.05
101	Diflubenzuron	二福隆	0.01	0.01	0.05	141	Fenothiocarb	芬硫克	0.01	0.02	0.05
102	Dimethenamid	汰草滅	0.01	0.02	0.05	142	Fenoxanil	芬諾尼	0.01	0.02	0.05
103	Dimethipin	種蓋得	0.01	0.02	0.05	143	Fenoxaprop-ethyl	芬殺草	0.01	0.02	0.05
104	Dimethoate	大滅松	0.01	0.02	0.05	144	Fenoxycarb	芬諾克	0.01	0.02	0.05
105	Dimethomorph	達滅芬	0.01	0.02	0.05	145	Fenpropothrin	芬普寧	0.01	0.02	0.05
106	Diniconazole	達克利	0.01	0.02	0.05	146	Fenpropimorph	芬普福	0.01	0.02	0.05
107	Dinitramine	撻乃安	0.01	0.02	0.05	147	Fenpyroximate	芬普端	0.01	0.02	0.05
108	Dinotefuran	達特南	0.01	0.02	0.05	148	Fensulfothion	繁福松	0.01	0.02	0.05
109	Diphenamid	大芬滅	0.01	0.02	0.05	149	Fenthion	芬殺松	0.01	0.01	0.05
110	Diphenylamine	Diphenylamine	0.01	0.02	0.05	150	Fenvalerate	芬化利	0.01	0.02	0.05
111	Disulfoton	二硫松	0.01	0.02	0.05	151	Ferimzone	富米綿	0.01	0.02	0.05
112	Ditalimfos	普得松	0.01	0.02	0.03	152	Fipronil	芬普尼	0.001	0.001	0.002
113	Dithiopyr	汰硫草	0.01	0.02	0.05	153	Fipronil-sulfone	芬普尼代謝物	0.01	0.02	0.05
114	Diuron	達有龍	0.01	0.02	0.05	154	Flazasulfuron	伏遠隆	0.01	0.02	0.05
115	Dymron	汰草龍	0.01	0.02	0.05	155	Flonicamid	氟尼胺	0.01	0.02	0.05
116	Edifenphos	護粒松	0.01	0.02	0.05	156	Fluazifop-P-butyl	伏寄普	0.01	0.02	0.05
117	Emamectin benzoate B1a	因滅汀	0.01	0.02	0.05	157	Fluazinam	扶吉胺	0.01	0.02	0.05
118	Emamectin benzoate B1b	因滅汀	0.01	0.02	0.05	158	Flubendiamide	氟大滅	0.01	0.02	0.05
119	Endosulfan sulfate	安殺番硫酸鹽	0.01	0.02	0.05	159	Flucythrinate	遵賽寧	0.01	0.02	0.05

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing; and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

實驗室地址：80681高雄市前鎮區南七路3號3樓 Lab Address: 3F., No.3, S. 7th Rd., Cianjen Dist., Kaohsiung 806, Taiwan R.O.C TEL: (07)831-7000, FAX: (07)831-3848

## 檢測報告

**19-0828-015-LZ-01**
**喜願行**

第5頁，共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
160	Fludioxonil	護汰寧	0.01	0.02	0.06
161	Fluensulfone	氟速芬	0.01	0.02	0.05
162	Flufenoxuron	氟芬隆	0.01	0.02	0.05
163	Fluopicolide	氟比來	0.01	0.02	0.05
164	Flupyrim	氟派瑞	0.01	0.02	0.05
165	Flupyradifurone	氟氟比代謝物	0.01	0.02	0.05
166	Fluroxypyrr-methyl	氟氟比代謝物	0.01	0.02	0.05
167	Flusilazole	道砂得	0.01	0.02	0.05
168	Flutolanil	福多寧	0.01	0.02	0.05
169	Flutriafol	護汰芬	0.01	0.02	0.05
170	Fluvalinate	福化利	0.01	0.02	0.05
171	Fluxapyroxad	氟克殺	0.01	0.02	0.05
172	Fonofos	大福松	0.01	0.02	0.05
173	Formetanate	覆滅蝶	0.01	0.02	0.05
174	Formothion	福木松	0.01	0.02	0.05
175	Fosthiazate	福賽絕	0.01	0.02	0.05
176	Fthalide	熱必斯	0.01	0.02	0.05
177	Furametpyr	福拉比	0.01	0.02	0.05
178	Halifenprox	合芬寧	0.01	0.02	0.05
179	Haloxyfop-methyl	甲基含氯氟	0.01	0.02	0.05
180	Heptachlor	鹿佈達	0.01	0.04	0.05
181	Heptachlor epoxide	環氯氟佈達	0.01	0.02	0.05
182	Heptenophos	鹿達松	0.01	0.02	0.05
183	Hexaconazole	菲克利	0.01	0.02	0.05
184	Hexaflumuron	六伏隆	0.05	0.05	0.05
185	Hexazinone	菲殺淨	0.01	0.02	0.05
186	Hexythiazox	合賽多	0.01	0.02	0.05
187	Imazalil	依滅列	0.01	0.01	0.05
188	Imibenconazole	易胺座	0.02	0.04	0.1
189	Imidacloprid	益達胺	0.01	0.02	0.05
190	Indoxacarb	固得克	0.01	0.01	0.01
191	Iprobenfos	丙基喜樂松	0.01	0.02	0.05
192	Iprodione	依普同	0.01	0.02	0.05
193	Iprovalicarb	Iprovalicarb	0.01	0.02	0.05
194	Isazofos	依殺松	0.01	0.02	0.05
195	Isofenphos	亞芬松	0.01	0.02	0.05
196	Isoprocarb	滅必蘿	0.01	0.02	0.05
197	Isoprothiolane	亞賜園	0.01	0.02	0.05
198	Isopyrazam	亞派占	0.01	0.02	0.05
199	Isotianil	亞沫尼	0.01	0.02	0.05

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
200	Isouron	愛達隆	0.01	0.02	0.05
201	Isoxaflutole	Isoxaflutole	0.01	0.02	0.05
202	Isoxathion	加福松	0.01	0.02	0.1
203	Jasmolin I	除蟲菊精	0.01	0.02	0.05
204	Jasmolin II	除蟲菊精	0.01	0.02	0.05
205	Kresoxim-methyl	克收欣	0.01	0.02	0.05
206	Linuron	理有龍	0.01	0.02	0.05
207	Lufenuron	綠芬隆	0.01	0.02	0.05
208	Malathion	馬拉松	0.01	0.02	0.05
209	Mandipropamid	曼普胺	0.01	0.02	0.05
210	Mecarbam	滅加松	0.01	0.02	0.05
211	Mefenacet	滅芬草	0.01	0.02	0.05
212	Mepanipyrim	滅藻林	0.01	0.02	0.05
213	Mephosfolan	美福松	0.01	0.02	0.05
214	Mepronil	滅普寧	0.01	0.02	0.05
215	Metaflumizone	美氟綜	0.01	0.02	0.05
216	Metalexyl	滅達樂	0.01	0.02	0.05
217	Metazachlor	滅草胺	0.01	0.02	0.05
218	Metconazole-cis	滅特座	0.01	0.02	0.05
219	Methacrifos	滅克松	0.01	0.02	0.05
220	Methamidophos	達馬松	0.01	0.02	0.05
221	Methidathion	滅大松	0.01	0.02	0.05
222	Methiocarb	滅賜克	0.01	0.02	0.05
223	Methomyl	納乃得	0.01	0.02	0.05
224	Methoprene	美賜平	0.01	0.02	0.05
225	Methoxyfenozide	滅芬諾	0.01	0.01	0.05
226	Methyl pentachlorophenyl sulfide	五氯苯基甲基硫化物	0.01	0.02	0.02
227	Metobromuron	橫多草	0.01	0.02	0.05
228	Metolachlor	莫多草	0.01	0.02	0.05
229	Metolcarb	治滅蟲	0.01	0.02	0.05
230	Metrafenone	滅芬農	0.01	0.02	0.05
231	Metribuzin	滅必淨	0.01	0.02	0.05
232	Mevinphos	美文松	0.01	0.02	0.05
233	Mirex	滅蟻樂	0.01	0.04	0.05
234	Molinate	稻得壯	0.01	0.02	0.05
235	Monocrotophos	亞素靈	0.01	0.01	0.05
236	MPMC(Xylylcarb)	滅國蟲	0.01	0.02	0.05
237	Myclobutanil	邁克尼	0.01	0.02	0.05
238	Napropamide	滅落脫	0.01	0.02	0.05
239	Norflurazon	Norflurazon	0.01	0.02	0.05

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**19-0828-015-LZ-01**
**喜願行**

第6頁，共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$			項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>		英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
240	Novaluron	諾伐隆	0.01	0.02	0.05	280	Prochloraz	撲克拉	0.01	0.02	0.05
241	Nuarimol	尼瑞莫	0.01	0.02	0.05	281	Procymidone	撲滅寧	0.01	0.02	0.05
242	<i>o,p'</i> -DDD	<i>o,p'</i> -滴滴滴	0.01	0.02	0.02	282	Profenophos	佛飛松	0.01	0.02	0.05
243	<i>o,p'</i> -DDE	<i>o,p'</i> -滴滴易	0.01	0.02	0.02	283	Promecarb	普滅克	0.01	0.02	0.02
244	<i>o,p'</i> -DDT	<i>o,p'</i> -滴滴涕	0.01	0.02	0.02	284	Prometryn	佛滅淨	0.01	0.02	0.05
245	Omethoate	歐滅松	0.01	0.02	0.05	285	Propamocarb hydrochloride	普拔克	0.01	0.02	0.05
246	Oxadiazon	樂滅草	0.01	0.02	0.05	286	Propanil	除草靈	0.01	0.02	0.05
247	Oxadixyl	毀殺斯	0.01	0.02	0.05	287	Propaphos	加護松	0.01	0.02	0.05
248	Oxamyl	毀殺滅	0.01	0.01	0.05	288	Propargite	毀端多	0.01	0.02	0.05
249	Oxycarboxin	嘉保信	0.01	0.02	0.05	289	Propiconazole	普克利	0.01	0.02	0.05
250	Oxydemeton methyl	滅多松	0.01	0.02	0.05	290	Propoxur	安丹	0.01	0.02	0.05
251	Oxyfluorfen	復綠芬	0.01	0.02	0.05	291	Proquinazid	普快淨	0.01	0.02	0.05
252	<i>p,p'</i> -DDD	<i>p,p'</i> -滴滴滴	0.01	0.02	0.02	292	Prothifos	普硫松	0.01	0.02	0.05
253	<i>p,p'</i> -DDE	<i>p,p'</i> -滴滴易	0.01	0.02	0.02	293	Pymetrozine	派滅淨	0.01	0.01	—
254	<i>p,p'</i> -DDT	<i>p,p'</i> -滴滴涕	0.01	0.02	0.02	294	Pyraclofos	白克松	0.01	0.02	0.05
255	Pactobutrazol	巴克素	0.01	0.02	0.05	295	Pyraclostrobin	百克敵	0.01	0.01	0.05
256	Parathion	巴拉松	0.01	0.02	0.05	296	Pyraflufen-ethyl	派芬草	0.01	0.02	0.05
257	Parathion-methyl	甲基巴拉松	0.01	0.02	0.05	297	Pyrazophos	白粉松	0.01	0.02	0.05
258	Penconazole	平克座	0.01	0.02	0.05	298	Pyrazosulfuron-ethyl	百達隆	0.01	0.02	0.05
259	Pencycuron	賓克隆	0.01	0.02	0.05	299	Pyrethrin I	除蟲菊精	0.01	0.02	0.05
260	Pendimethalin	施得園	0.01	0.02	0.05	300	Pyrethrin II	除蟲菊精	0.01	0.02	0.05
261	Penflufen	平氟芬	0.01	0.02	0.05	301	Pyribencarb	Pyribencarb	0.01	0.02	0.05
262	Penoxsulam	平速爛	0.01	0.01	0.05	302	Pyridaben	畢達本	0.01	0.02	0.05
263	Pentachloroaniline	五氯苯胺	0.01	0.02	0.02	303	Pyridaphenthion	必芬松	0.01	0.02	0.05
264	Penthiopyrad	Penthiopyrad	0.01	0.02	0.05	304	Pyridate	必汰草	0.01	0.02	0.05
265	Permethrin	百滅寧	0.01	0.02	0.05	305	Pyrifenoxy	比芬諾	0.01	0.02	0.05
266	Phenothiol	脫禾草	0.01	0.02	0.05	306	Pyrifluquinazon	Pyrifluquinazon	0.01	0.02	0.05
267	Phenothrin	醇丁滅蟲成分之一	0.01	0.02	0.05	307	Pyrimethanil	派美尼	0.02	0.04	0.05
268	Phenthroate	賽達松	0.01	0.02	0.05	308	Pyrimidifen	畢汰芬	0.01	0.02	0.05
269	Phorate	福瑞松	0.01	0.02	0.05	309	Pyriproxyfen	百利普芬	0.01	0.01	0.05
270	Phosalone	裕必松	0.01	0.02	0.05	310	Pyroquilon	百快隆	0.01	0.02	0.05
271	Phosmet	益滅松	0.01	0.02	0.05	311	Quinalphos	拜裕松	0.01	0.02	0.05
272	Phosphamidon	福賜米松	0.01	0.02	0.05	312	Quinoxifen	快諾芬	0.01	0.02	0.05
273	Phoxim	巴賽松	0.01	0.02	0.05	313	Quintozene (PCNB)	五氯硝苯	0.01	0.02	0.02
274	Piperonyl butoxide	協力精	0.01	0.02	0.05	314	Quizalofop-ethyl	快伏草	0.01	0.02	0.05
275	Pirimicarb	比加普	0.01	0.02	0.05	315	Rotenone	魚藤精	0.01	0.02	0.05
276	Pirimiphos-ethyl	乙基亞特松(必滅松)	0.01	0.02	0.05	316	Saflufenacil	殺芬草	0.01	0.02	0.05
277	Pirimiphos-methyl	亞特松	0.01	0.02	0.05	317	Salithion	殺力松	0.01	0.02	0.03
278	Pretillachlor	普拉草	0.01	0.02	0.05	318	Sedaxane	Sedaxane	0.01	0.02	0.05
279	Probenazole	撲殺熱	0.01	0.02	0.05	319	Sethoxydim	西殺草	0.01	0.02	0.05

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

實驗室地址：80681高雄市前鎮區南七路3號3樓 Lab Address: 3F., No.3, S. 7th Rd., Cianjhen Dist., Kaohsiung 806, Taiwan R.O.C TEL: (07)831-7000, FAX: (07)831-3848

## 檢測報告

**19-0828-015-LZ-01**
**喜願行**

第7頁，共7頁

項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$			項次	檢驗成分		定量極限 $\mu\text{g/g(ppm)}$		
	英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>		英文名稱	中文名稱	蔬果類 <sup>a</sup>	穀類 <sup>b</sup>	茶類 <sup>c</sup>
320	Silafluofen	矽蓮芬	0.01	0.02	0.05	347	Thiometon	硫滅松	0.01	0.02	0.05
321	Simazine	草滅淨	0.01	0.02	0.05	348	Tolclofos-methyl	脫克松	0.01	0.02	0.05
322	Spinetoram J	賜諾特 J	0.01	0.01	0.05	349	Tolfenpyrad	脫芬瑞	0.01	0.02	0.05
323	Spinetoram L	賜諾特 L	0.01	0.01	0.05	350	Tolyfluanid	甲基益發靈	0.01	0.02	0.05
324	Spinosad A	賜諾殺 A	0.01	0.01	0.05	351	<i>trans</i> -Chlordane	<i>trans</i> -可氯丹	0.01	0.02	0.05
325	Spinosad D	賜諾殺 D	0.01	0.01	0.05	352	Triadimefon	三泰芬	0.01	0.02	0.05
326	Spirodiclofen	賜派芬	0.01	0.02	0.05	353	Triadimenol	三泰隆	0.01	0.02	0.05
327	Spiromesifen	賜滅芬	0.01	0.02	0.05	354	Triazophos	三落松	0.01	0.02	0.05
328	Spirotetramat	賜滅滅	0.01	0.02	0.05	355	Trichlorfon	三氯松	0.01	0.02	0.05
329	Sulfoxaflor	速殺氟	0.01	0.02	0.05	356	Tricyclazole	三賽唑	0.01	0.02	0.05
330	Tebuconazole	得克利	0.01	0.02	0.05	357	Tridiphane	三地芬	0.01	0.02	0.05
331	Tebufenozide	得芬諾	0.01	0.02	0.05	358	Trifloxystrobin	三氮敵	0.01	0.01	0.05
332	Tebufenpyrad	得芬瑞	0.01	0.02	0.05	359	Triflumizole	賽福座	0.01	0.02	0.05
333	Teflubenzuron	得福隆	0.01	0.02	0.05	360	Trifluralin	三福林	0.01	0.02	0.04
334	Tepraloxydim	得殺草	0.01	0.02	0.05	361	Triforine	賽福寧	0.01	0.02	0.05
335	Terbufos	托福松	0.01	0.01	0.05	362	Vamidothion	繁米松	0.01	0.02	0.05
336	Tetraconazole	四克利	0.01	0.02	0.05	363	Vinclozolin	免克寧	0.01	0.02	0.05
337	Tetradifon	得脫蠅	0.01	0.02	0.05	364	XMC (Macbal)	滅免蟲	0.01	0.02	0.05
338	Tetramethrin	治滅寧	0.01	0.02	0.05	365	Zoxamide	座葉胺	0.01	0.02	0.05
339	Thenylchlor	欣克草	0.01	0.02	0.05	366	$\alpha$ -BHC	$\alpha$ -蟲必死	0.01	0.02	0.03
340	Thiabendazole	腐絕	0.01	0.02	0.05	367	$\alpha$ -cypermethrin	亞滅寧	0.01	0.03	0.5
341	Thiacloprid	賽果培	0.01	0.02	0.05	368	$\alpha$ -Endosulfan	$\alpha$ -安殺番	0.01	0.02	0.05
342	Thiamethoxam	賽遠安	0.01	0.01	0.05	369	$\beta$ -BHC	$\beta$ -蟲必死	0.01	0.02	0.05
343	Thifluazamide	賽滅滅	0.01	0.02	0.05	370	$\beta$ -Endosulfan	$\beta$ -安殺番	0.01	0.02	0.05
344	Thiobencarb	殺丹	0.01	0.02	0.05	371	$\gamma$ -BHC, Lindane	$\gamma$ -蟲必死	0.01	0.02	0.05
345	Thiodicarb	硫敵克	0.01	0.02	0.05	372	$\delta$ -BHC	$\delta$ -蟲必死	0.01	0.02	0.05
346	Thiofanox	硫伐隆	0.01	0.02	0.05	373	$\lambda$ -Cyhalothrin	賽洛寧	0.01	0.02	0.05

<sup>a</sup> 適用於蔬果類、香辛植物及其他草本植物(鮮食)。

<sup>b</sup> 適用於穀類及乾豆類。

<sup>c</sup> 適用於茶類、蔬果類、香辛植物及其他草本植物(乾燥)。

- 本檢驗方法不適用於茶類、蔬果類、香辛植物及其他草本植物(乾燥)中免扶克及派滅淨。

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。

This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.

2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。

This report is for reference only and cannot be for any commercial purposes or litigation.

3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。

This report will be invalid if altered. This report is not permitted to be duplicated in extracts.

4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。

This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

實驗室地址：80681高雄市前鎮區楠七路3號3樓 Lab Address: 3F., No.3, S. 7th Rd., Cianjhen Dist., Kaohsiung 806, Taiwan R.O.C TEL: (07)831-7000, FAX: (07)831-3848